





CSLD UDFS Data Type / Code column

TCCG Meeting 4 June 2019



General Information





- This presentation gives an overview of a major item in the CSLD UDFS documents
- In the Message chapters of RTGS and CLM UDFS there is the column "Data Type / Code" in the sub chapters "The message in business context" and "Business rules applicable to the schema"
- This column contains information about the used data type or the name of an external code list
- The added value of this column in the UDFS documents is questionable



Why is the column part of the UDFS?





- During the drafting of the UDFS for CSLD the 4CB reused the layout and content design of the T2S UDFS
- The message chapters of CSLD UDFS documents were designed by example of the message chapters of the T2S UDFS
- This is the reason why the column is part of the CSLD UDFS documents



Why does T2S use it and CSLD should not?





- The major reason why T2S uses the column is that with go-live of T2S MyStandards was not introduced
- T2S UDFS had to contain all relevant information for messages (business and technical information)
- For CSLD the conditions changed
 - MyStandards is in place since from beginning of the UDFS drafting
 - No added value of the technical information in the UDFS documents for business audience
 - Redundant information in MyStandards and UDFS documents
 - High maintenance effort
- TIPS UDFS does not contain the column "Data Type / Code" either



Proposal





 Remove the column "Data Type / Code" from RTGS and CLM UDFS sub chapters "The message in business context"

Message item	Data type/code	Utilisation
Message Identification Document/GetAcct/MsgHdr/MsgId		Value "NONREF" as the Message Id is already part of the BAH
Account Identification Document/GetAcct/AcctQryDef/AcctCri t/NewCrit/SchCrit/AcctId/EQ/Othr/Id		Unique and unambiguous identification for the account between the account owner and the account servicer Account ID or account owner must be present, but not both

- A similar approach is applied also to sub chapters "Business rules applicable to the schema"
- Keep the information in MyStandards

✓ Mark Get Account V07 (camt.003.001.07)		
✓ ● Message Header	1	1
Message Identification	1	1
> • Account Query Definition	0	1

Path	
/Document/GetAcct/MsgHdr/MsgId	
Туре	
RTGS_RestrictedFINXMax35Text (based on string) • pattern: [0-9a-zA-Z/\-\?:\(\)\.,"\+][[0-9a-zA-Z/\-\?:\(\)\.,"\+][0-9a-zA-Z/\-\?:\(\)\.,"\+][0-9a-zA-Z/\-\?:\(\)\.,"\+][1,33}[0-9a-zA-Z/\-\?:\(\)\.,"\+][1,33][0-9a-zA-Z/\-\?:\(\)\.,"\+][1,33][0-9a-zA-Z/\-\?:\(\)\.,"\+][1,33][0-9a-zA-Z/\-\?:\(\)\.,"\+][1,33][0-9a-zA-Z/\-\?:\(\)\.,"\+][1,33][0-9a-zA-Z/\-\?:\(\)\.,"\+][1,33][0-9a-zA-Z/\-\?:\(\)\.,"\+][1,33][0-9a-zA-Z/\-\?:\(\)\.,"\+][1,33][0-9a-zA-Z/\-\?:\(\)\.,"\+][1,33][0-9a-zA-Z/\-\?:\(\)\.,"\+][1,33][0-9a-zA-Z/\-\?:\(\)\.,"\+][1,33][0-9a-zA-Z/\-\?:\(\)\.,"\+][1,33][0-9a-zA-Z/\-\?:\(\)\.	

(\)\.,'\+])